

Test Report

No. CANEC1002422501

Date: 12 Jun 2010

Page 1 of 11

HENKEL HUAWEI ELECTRONICS CO.,LTD.
SONGTIAO INDUSTRIAL PARK,LIANYUNGANG.JIANGSU
CHINA

The following sample(s) was/were submitted and identified on behalf of the clients as :
Epoxy Moulding Compounds

SGS Job No. : 12560114 - SZ
Tested sample information : KL-1000-4TX
Client Ref. Information : KL-1000-4/4T/4TX(NT)
Date of Sample Received : 07 Jun 2010
Testing Period : 07 Jun 2010 - 12 Jun 2010

Test Requested : Selected test(s) as requested by client.
Test Method : Please refer to next page(s).
Test Results : Please refer to next page(s).
Conclusion : A:Based on the performed tests on submitted sample(s), the results **comply with** the RoHS Directive 2002/95/EC and its subsequent amendments.

Signed for and on behalf of
SGS-CSTC Ltd.



Lucy Wu
Approved Signatory

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its preparation only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.

Test Report

No. CANEC1002422501

Date: 12 Jun 2010

Page 2 of 11

Test Results:

ID for specimen 1 : CAN10-024225.001
 Description for specimen 1 : Black particle

A:RoHS Directive 2002/95/EC

| Test Item(s) | Unit | Test Method (Reference) | Result | MDL | Limit |
|---|-------|-------------------------|--------|-----|-------|
| Cadmium (Cd) | mg/kg | IEC 62321:2008, ICP-OES | N.D. | 2 | 100 |
| Lead (Pb) | mg/kg | IEC 62321:2008, ICP-OES | 9 | 2 | 1000 |
| Mercury (Hg) | mg/kg | IEC 62321:2008, ICP-OES | N.D. | 2 | 1000 |
| Hexavalent Chromium (CrVI) by alkaline extraction | mg/kg | IEC 62321:2008, UV-Vis | N.D. | 2 | 1000 |
| Sum of PBBs | mg/kg | - | N.D. | - | 1000 |
| Monobromobiphenyl | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | |
| Dibromobiphenyl | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | |
| Tribromobiphenyl | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | |
| Tetrabromobiphenyl | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | |
| Pentabromobiphenyl | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | |
| Hexabromobiphenyl | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | |
| Heptabromobiphenyl | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | |
| Octabromobiphenyl | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | |
| Nonabromobiphenyl | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | |
| Decabromobiphenyl | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | |
| Sum of PBDEs | mg/kg | - | N.D. | - | 1000 |
| Monobromodiphenyl ether | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | |
| Dibromodiphenyl ether | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | |
| Tribromodiphenyl ether | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | |
| Tetrabromodiphenyl ether | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | |
| Pentabromodiphenyl ether | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | |
| Hexabromodiphenyl ether | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | |
| Heptabromodiphenyl ether | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | |
| Octabromodiphenyl ether | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | |
| Nonabromodiphenyl ether | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | |
| Decabromodiphenyl ether | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | |

Note:

1. mg/kg = ppm
2. N.D. = Not Detected (< MDL)
3. MDL = Method Detection Limit
4. "-" = Not regulated

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its preparation only, and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.

Test Report

No. CANEC1002422501

Date: 12 Jun 2010

Page 3 of 11

B:Phthalate(s)

| Test Item(s) | Unit | Test Method (Reference) | Result | MDL |
|------------------------------------|---------|-------------------------|--------|-------|
| Dibutyl Phthalate (DBP) | % (w/w) | EN14372: 2004, GC-MS | N.D. | 0.003 |
| Benzylbutyl Phthalate (BBP) | % (w/w) | EN14372: 2004, GC-MS | N.D. | 0.003 |
| Di-(2-ethylhexyl) Phthalate (DEHP) | % (w/w) | EN14372: 2004, GC-MS | N.D. | 0.003 |
| Diisononyl Phthalate (DINP) | % (w/w) | EN14372: 2004, GC-MS | N.D. | 0.01 |
| Di-n-octyl Phthalate (DNOP) | % (w/w) | EN14372: 2004, GC-MS | N.D. | 0.003 |
| Diisodecyl Phthalate (DIDP) | % (w/w) | EN14372: 2004, GC-MS | N.D. | 0.01 |
| Di-n-hexyl phthalate (DNHP) | % (w/w) | EN14372: 2004, GC-MS | N.D. | 0.005 |

Note :

1. mg/kg = ppm; 0.1% = 1000ppm
2. N.D. = Not detected (< MDL)
3. MDL = Method Detection Limit

C:PFOA & PFOS (Perfluorooctanoic acid & Perfluorooctane sulfonates)

| Test Item(s) | Unit | Test Method (Reference) | Result | MDL |
|-----------------------------------|-------|-------------------------|--------|-----|
| Perfluorooctanoic acid (PFOA) | mg/kg | EPA 3550C: 2007, LC-MS | N.D. | 10 |
| Perfluorooctane sulfonates (PFOS) | mg/kg | EPA 3550C: 2007, LC-MS | N.D. | 10 |
| PFOS Acid | | | | |
| PFOS Metal Salt | | | | |
| PFOS Amide | | | | |

Note:

1. mg/kg = ppm
2. N.D. = Not Detected (< MDL)
3. MDL = Method Detection Limit

For reference: Entry 53 of Regulation (EC) No 552/2009 amending Annex XVII of REACH Regulation (EC) No 1907/2006 (previously restricted under Directive 2006/122/EC):

- (1) May not be placed on the market or used as a substance or constituent of preparations in a concentration equal to or higher than 0,005 % by mass.
- (2) May not be placed on the market in semi-finished products or articles, or parts thereof, if the concentration of PFOS is equal to or higher than 0,1 % by mass calculated with reference to the mass of structurally or microstructurally distinct parts that contain PFOS or, for textiles or other coated materials, if the amount of PFOS is equal to or higher than 1µg /m² of the coated material.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its preparation only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.

Test Report

No. CANEC1002422501

Date: 12 Jun 2010

Page 4 of 11

D:TBBP-A (Tetrabromobisphenol-A)

| Test Item(s) | Unit | Test Method (Reference) | Result | MDL |
|--------------------------------|-------|-------------------------|--------|-----|
| Tetrabromobisphenol-A (TBBP-A) | mg/kg | EPA 3550C: 2007, GC-MS | N.D. | 10 |

Note:

1. mg/kg = ppm
2. N.D. = Not Detected (< MDL)
3. MDL = Method Detection Limit

E:PAHs (Polynuclear Aromatic Hydrocarbons)

| Test Item(s) | Unit | Test Method | Result | MDL |
|----------------------------|-------|--------------------|--------|-----|
| Naphthalene | mg/kg | ZEK 01.2-08, GC-MS | N.D. | 0.2 |
| Acenaphthylene | mg/kg | ZEK 01.2-08, GC-MS | N.D. | 0.2 |
| Acenaphthene | mg/kg | ZEK 01.2-08, GC-MS | N.D. | 0.2 |
| Fluorene | mg/kg | ZEK 01.2-08, GC-MS | N.D. | 0.2 |
| Phenanthrene | mg/kg | ZEK 01.2-08, GC-MS | N.D. | 0.2 |
| Anthracene | mg/kg | ZEK 01.2-08, GC-MS | N.D. | 0.2 |
| Fluoranthene | mg/kg | ZEK 01.2-08, GC-MS | N.D. | 0.2 |
| Pyrene | mg/kg | ZEK 01.2-08, GC-MS | N.D. | 0.2 |
| Benz(a)anthracene | mg/kg | ZEK 01.2-08, GC-MS | N.D. | 0.2 |
| Chrysene | mg/kg | ZEK 01.2-08, GC-MS | N.D. | 0.2 |
| Benzo(b)fluoranthene | mg/kg | ZEK 01.2-08, GC-MS | N.D. | 0.2 |
| Benzo(k)fluoranthene | mg/kg | ZEK 01.2-08, GC-MS | N.D. | 0.2 |
| Benzo(a)pyrene | mg/kg | ZEK 01.2-08, GC-MS | N.D. | 0.2 |
| Indeno(1,2,3-cd)pyrene | mg/kg | ZEK 01.2-08, GC-MS | N.D. | 0.2 |
| Dibenzo(a,h)anthracene | mg/kg | ZEK 01.2-08, GC-MS | N.D. | 0.2 |
| Benzo(g,h,i)perylene | mg/kg | ZEK 01.2-08, GC-MS | N.D. | 0.2 |
| Sum of 16 PAHs acc. US EPA | mg/kg | - | N.D. | - |

Note:

1. mg/kg = ppm
2. N.D. = Not Detected (< MDL)
3. MDL = Method Detection Limit

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its preparation only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.

ZEK 01.2-08 : Restraining maximum values for products

| Parameter | Category 1 Material indented to be put in the mouth or material for toys with normal skin contact for children aged < 36 months | Category 2 Materials those are not included in Category 1, with predictable contact with the skin longer than 30 s. (long-term skin contact). | Category 3 Materials those are not included in Category 1 or 2, with predictable skin contact up to 30 s (short-term skin contact). |
|-------------------------------|--|--|--|
| Benzo[a]pyrene (mg/kg) | <MDL (<0.2)*** | 1 | 20 |
| Sum 16 PAH (US EPA) (mg/kg)** | <MDL (<0.2)*** | 10 | 200 |


Remark : ** = Only PAH substances >0.2 mg/kg are taken into account while calculating the sum of PAHs
 *** = In case that the maximum values exceed the limits of category 1, but are within the limits of category 2, one may confirm the suitability of the tested material which indented to be put in the mouth by additional specific migration tests of PAH components based on DIN EN 1186ff and §64 LFGB 80.30-1. The conclusion of the migration test results must be made based on food law criteria.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its preparation only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.

ATTACHMENTS

RoHS Testing Flow Chart

- 1) Name of the person who made testing: Bella Wang / Cutey Yu / Ross Zhan
- 2) Name of the person in charge of testing: Adams Yu / Ryan Yang
- 3) These samples were dissolved totally by pre-conditioning method according to below flow chart (Cr6+ and PBBs/PBDEs test method excluded).




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its preparation only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.

ATTACHMENTS

Phthalates Testing Flow Chart

- 1) Name of the person who made testing: Tina Zhao
- 2) Name of the person in charge of testing: Ryan Yang




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its preparation only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.

ATTACHMENTS

PFOA / PFOS Testing Flow Chart

- 1) Name of the person who made testing: Cindy Huang
- 2) Name of the person in charge of testing: Ryan Yang




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its preparation only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.

ATTACHMENTS

TBBP-A Testing Flow Chart

- 1) Name of the person who made testing: Cutey Yu
- 2) Name of the person in charge of testing: Ryan Yang




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its preparation only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.

ATTACHMENTS

PAHs Testing Flow Chart

- 1) Name of the person who made testing: Cutey Yu
- 2) Name of the person in charge of testing: Ryan Yang



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its preparation only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.

Sample photo:



SGS authenticate the photo on original report only

*** End of Report ***

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its preparation only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.